



## MASSACHUSETTS WATER RESOURCES AUTHORITY

Chelsea Facility  
2 Griffin Way  
Chelsea, Massachusetts 02150

Telephone: (617) 242-6000  
Facsimile: (617) 305-5990

Frederick A. Laskey  
Executive Director

January 3, 2006

Mr. Edwin Theis  
Nature's Whey, Inc.  
P.O. Box 70  
Mashpee, MA 02649

Dear Mr. Theis:

I have reviewed the information in the packet of information that you submitted requesting that the Massachusetts Water Resources Authority (MWRA) approve the use of Nature's Whey/SEBS Grease Trap and Drain Remedy in MWRA's Sewerage Service Area for the cleaning and maintenance of drains and grease traps. The information you submitted with your request states that this product is primarily a liquid mixture of non-pathogenic bacterial strains and enzymes designed to digest grease under a variety of conditions. The information supplied in the MSDS states that the product is not flammable, toxic, or corrosive, and contains no hazardous ingredients. Your letter states that this product contains no emulsifiers that could cause the grease to re-solidify in downstream sewer lines.

The MWRA approves this product for use in grease traps and interceptors in the MWRA Sewer Service Area, as authorized by 360 CMR 10.017, subject to the following conditions:

1. The approved use is only for the product listed above, as described in the packet of material submitted to MWRA.
2. Approval by the MWRA for use of this product in its Service Area is not an endorsement of the product or an approval with respect to the benefits, effectiveness, or performance of this product.
3. The resulting discharge will not cause or contribute to an obstruction or blockage in the sewer or otherwise violate MWRA discharge standards listed in 360 CMR 10.021-10.024.

MWRA approval applies only to grease traps and interceptors that are connected to the sewer. The use of this product for septic systems is outside MWRA's jurisdiction and requires an approval from the Massachusetts Department of Environmental Protection.

Please feel free to call me at 617-305-5927 if you have any questions or need further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Denise K. Breiteneicher".

Denise K. Breiteneicher  
Project Manager  
Operations Support

cc: C. Fiore P. Pisano P. Yarossi



